


# **ALL-NEW FCF Platinum**

Self-Contained Air Conditioning Series



## Platinum is the new standard.

The all-new FCF Platinum series is the latest development in Webasto's line of marine comfort solutions. The FCF Platinum features improved design, offering a higher BTU/h rating across a variety of ambient scenarios, while still providing unmatched product reliability and a two-year warranty.

11.2 x 16 x 11.6 in (285 x 408 x 295 mm)

56 lbs (25.5kg)

Rated Voltage 115V 230V Part Number 5011394A 5011395A Cooling Capacity 6,000 BTU/h **Heating Capacity** 6,000 BTU/h Rated Frequency 60Hz 50 / 60Hz Rated Current 4.7 A 2.9 / 2.4 A Refrigerant Charge R410A (0.35kg) Comp. LRA 21A Min. Condenser Water Flow 1.06 Gal/Min. (4 L/Min.)



**:CFP** 10,00

Dimensions (L x W x H)

Weight

#### Rated Voltage 115V Part Number 5011396A 5011397A 10,000 BTU/h **Cooling Capacity** 10,000 BTU/h **Heating Capacity** Rated Frequency 60Hz 50 / 60Hz **Rated Current** 7.2 A 4.2 / 3.7 A R410A (0.45kg) Refrigerant Charge Comp. LRA 34A 17A 1.59 Gal/Min. (6 L/Min.) Min. Condenser Water Flow Dimensions (L x W x H) 15 x 16 x 12.2 in (380 x 408 x 310 mm) Weight 60 lbs (27kg)



**CFP** 12.00

Rated Voltage	115V	230V
Part Number	5011398A	5011399A
Cooling Capacity	12,000 BTU/h	
Heating Capacity	13,000 BTU/h	
Rated Frequency	60Hz	50 / 60Hz
Rated Current	10A	5.1 / 4.6 A
Refrigerant Charge	R410A (0.5kg)	
Comp. LRA	47A	27A
Min. Condenser Water Flow	2.77 Gal/Min. (10.5 L/Min.)	
Dimensions (L x W x H)	21.6 x 13.1 x 12.5 in (549 x 330 x 320 mm)	
Weight	72 lbs <i>(33kg)</i>	



**FCFP** 16,000

Rated Voltage	115V	230V
Part Number	5011400A	5011401A
Cooling Capacity	16,000 BTU/h	
Heating Capacity	16,200 BTU/h	
Rated Frequency	60Hz	50 / 60Hz
Rated Current	11.2 A	5.7 / 5.6A
Refrigerant Charge	R410A (0.7kg)	
Comp. LRA	60A	35A
Min. Condenser Water Flow	3.43 Gal/Min. (13 L/Min.)	
Dimensions (L x W x H)	24.3 x 13.5 x 13 in (619 x 343 x 330 mm)	
Weight	88 lbs <i>(40kg)</i>	



**FCFP** 20,000

Rated Voltage	230V	
Part Number	5011402A	
Cooling Capacity	20,000 BTU/h	
Heating Capacity	20,000 BTU/h	
Rated Frequency	50 / 60Hz	
Rated Current	10.5/ 7.4 A	
Refrigerant Charge	R410A <i>(0.85kg)</i>	
Comp. LRA	44A	
Min. Condenser Water Flow	5.02 Gal/Min. <i>(19 L/Min.)</i>	
Dimensions (L x W x H)	20.8 x 23.4 x 15 in (529 x 595 x 386 mm)	
Weight	124 lbs <i>(56.5kg)</i>	




**FCFP** 25,000

Rated Voltage	230V	
Part Number	5011403A	
Cooling Capacity	25,500 BTU/h	
Heating Capacity	25,900 BTU/h	
Rated Frequency	50 / 60Hz	
Rated Current (C/H)	6.8/ 8.0 A	
Refrigerant Charge	R410A <i>(0.95kg)</i>	
Comp. LRA	52A	
Min. Condenser Water Flow	6.34 Gal/Min. <i>(24 L/Min.)</i>	
Dimensions (L x W x H)	20.8 x 23.4 x 15 in (529 x 595 x 386 mm)	
Weight	133 lbs (60.5kg)	



#### FCF Platinum | Product Features + Installation

- Long and slim new footprint featured on the 12,000 and 16,000 BTU/h models - allowing for easy replacement of existing units
- Engineered for better performance with a higher BTU/h rating across a variety of ambient scenarios
- Digital display with controller and cable come standard
- 2-year warranty with unmatched product reliability
- Marine-grade stainless steel frame for durability and longevity
- Cupronickel evaporator
- Proprietary compressor well balanced and quiet than ever before
- Low cost replacement parts



### **Accessories** | KoolAir Pumps & Control

Webasto is the North American exclusive distributor of KoolAir Pumps to the marine industry.

- Three pumps available; PM500, PM1000 and TPM1000
- PM500 is a FULLY submersible pump
- Run Dry and Thermal Overload Protection
- All are available in 115 and 230V
- Motors are rated as: continuous duty
- One phase pumps





#### **Now Available**

#### NEW FCF Remote Control

- Control your FCF from any place on your vessel
- Accessory option for all FCF Platinum Units

Part Number 5012610A



Webasto Thermo & Comfort North America, Inc.

> 15083 North Road Fenton, Michigan 48430

Toll Free: 800-860-7866 Phone: 810-593-6000